

Weight % Ammonia	Specific Gravity, at 60 °F	Degrees Baumé	Weight % Ammonia	Specific Gravity, at 60 °F	Degrees Baumé
0.00	1.0000	10.00	17.28	0.9349	19.75
0.40	0.9982	10.25	17.76	0.9333	20.00
0.80	0.9964	10.50	18.24	0.9318	20.25
1.21	0.9947	10.75	18.72	0.9302	20.50
1.62	0.9929	11.00	19.20	0.9287	20.75
2.04	0.9912	11.25	19.68	0.9272	21.00
2.46	0.9894	11.50	20.16	0.9256	21.25
2.88	0.9876	11.75	20.64	0.9241	21.50
3.30	0.9859	12.00	21.12	0.9226	21.75
3.73	0.9842	12.25	21.60	0.9211	22.00
4.16	0.9825	12.50	22.08	0.9195	22.25
4.59	0.9807	12.75	22.56	0.9180	22.50
5.02	0.9790	13.00	23.04	0.9165	22.75
5.45	0.9773	13.25	23.52	0.9150	23.00
5.88	0.9756	13.50	24.01	0.9135	23.25
6.31	0.9739	13.75	24.50	0.9121	23.50
6.74	0.9722	14.00	24.99	0.9106	23.75
7.17	0.9705	14.25	25.48	0.9091	24.00
7.61	0.9689	14.50	25.97	0.9076	24.25
8.05	0.9672	14.75	26.46	0.9061	24.50
8.49	0.9655	15.00	26.95	0.9047	24.75
8.93	0.9639	15.25	27.44	0.9032	25.00
9.38	0.9622	15.50	27.93	0.9018	25.25
9.83	0.9605	15.75	28.42	0.9003	25.50
10.28	0.9589	16.00	28.91	0.8989	25.75
10.73	0.9573	16.25	29.40	0.8974	26.00
11.18	0.9556	16.50	29.89	0.8960	26.25
11.64	0.9540	16.75	30.38	0.8946	26.50
12.10	0.9524	17.00	30.87	0.8931	26.75
12.56	0.9508	17.25	31.36	0.8917	27.00
13.02	0.9492	17.50	31.85	0.8903	27.25
13.49	0.9475	17.75	32.34	0.8889	27.50
13.96	0.9459	18.00	32.83	0.8875	27.75
14.43	0.9444	18.25	33.32	0.8861	28.00
14.90	0.9428	18.50	33.81	0.8847	28.25
15.37	0.9412	18.75	34.30	0.8833	28.50
15.87	0.9396	19.00	34.79	0.8819	28.75
16.32	0.9380	19.25	35.28	0.8805	29.00
16.80	0.9365	19.50			

Inyo Process is the leading supplier of chemical diffusion technologies:

- Injector quills
- Removable Injectors (corporation stops)
- High Pressure Injectors
- Chemical Diffusers
- Shot Feeders
- Mixing Tees

